

PRICE INFORMATION SCHEDULES

SCHEDULE 1: PRICE SUMMARY AND TERMS OF PAYMENT

Tenderers shall set out in this Schedule:

1. **Price Summary** including the breakdown of the overall Tender Price stated in the Tender Form and any other terms of payment. The breakdown shall be detailed in the following format according to the summary of items and quantities required in the Tender. The price shall include any labour charges, custom tax and with holding tax.
2. Payment will be made locally and in Brunei Dollars. Payment shall be made in accordance with the provisions in the Contract.

ITEM	DESCRIPTION	QTY	UNIT PRICE B\$	TOTAL PRICE B\$
1	FOAM FENDERS 2,000mm X 3,500mm [include delivery & installation]	26 PCS		
2	FOAM FENDERS 1,200mm X 2,000mm [include delivery & installation]	12 PCS		
GRAND TOTAL (B\$)				

Note :


- The Government reserves the right to give PARTIAL AWARD.
- The Government may accept the whole or any item(s) of tender.
- The Price quotes need to be maintained in items of partial award.
- **SPECIFICATIONS AND CATALOGUE MUST BE SUBMITTED AND CLEARLY LABELED.**



No.	Specification Requirement	Please Tick (v) if Comply / Meet Requirement	Remarks (if any)
1	<i>Includes accessories required for installation & maintenance (such as chains / brackets / anchors, etc)</i>		
2	<i>Able to provide monthly / yearly maintenance (please state maintenance period in remarks)</i>		
3	<i>Able to provide warranty (please state warranty period in remarks)</i>		
4	<i>Provide Accreditation 'ABS Type Approved Product' or any equivalent accreditation / certificate of conformance</i>		
5	<i>To perform site visit to Jeti Alpha & Jeti Bravo for inspection, calculation / evaluation and installation plan (date & time will be email to tenderers)</i>		




RAJAH DAN SPESIFIKASI FOAM FENDERS



SIZE: 2000mm X 3500mm	English	Metric
Performance: (at 60% Compression) Energy Absorption Reaction Force Average reaction Pressure	336 ft-kip 190 kip 3.2 kip/ft ²	455 kN-m 846 kN 155 kPa
Dimensions: Diameter Length eye-eye Length of flat	6.6 ft 11.5 ft 6.7 ft	2.00 m 3.50 m 2.04 m
Footprint (at 60% Compression): Maximum width Maximum length Area	7.2 ft 8.9 ft 58.6 ft ²	2.20 m 2.72 m 5.45 m ²
Shipping Data: Weight Cube	2119 lbs 512 ft ³	961 kg 14.56 m ³
End Fitting Data: Shackle Size Shackle Pin Diameter Safe Working end-pull load	1.50 in 1.63 in 34.0 kip	38 mm 41 mm 151 kN
Other Data: Draft Standoff distance Maximum at 60% compression	1.3 ft 6.6 ft 2.6 ft	0.39 m 2.00 m 0.80 m

- *gray in color
- *end fitting to be Hot Dip Galvanized
- *Shackles to be included are to be Hot Dip Galvanized





SIZE: 1200mm X 2000mm	English	Metric
Performance: (at 60% Compression)		
Energy Absorption	67ft-kip	91 kN-m
Reaction Force	63kip	282 kN
Average reaction Pressure	3.6kip/ft ²	172 kPa
Dimensions:		
Diameter	3.9ft	1.20m
Length eye-eye	6.6ft	2.00m
Length of flat	3.2ft	0.98m
Footprint (at 60% Compression):		
Maximum width	4.3ft	1.32m
Maximum length	4.6ft	1.39m
Area	17.6ft ²	1.64m ²
Shipping Data:		
Weight	506lbs	230kg
Cube	108ft ³	3.07m ³
End Fitting Data:		
Shackle Size	1.00in	25mm
Shackle Pin Diameter	1.13in	29mm
Safe Working end-pull load	17.0kip	76kN
Other Data:		
Draft	0.9ft	0.28m
Standoff distance		
Maximum	3.9ft	1.20m
at 60% compression	1.6ft	0.48m

- *gray in color
- *end fitting to be Hot Dip Galvanized
- *Shackles to be included are to be Hot Dip Galvanized

