

KETERANGAN PEMBELIAN TEMPATAN - JKP KEMANTAN

RUJUKAN SEBUTHARGA : MINDEF/DFA/FY2026/GCAU/TU/LP/1037

NAMA SYARIKAT :

TARIKH TUTUP SEBUT HARGA : 21/12/2026 (KHAMIS, 8:00 PAGI)

COP SYARIKAT & TANDATANGAN :

PETI PENERIMAAN SEBUT HARGA : (1)

TEL PEMBEKAL :

FAX PEMBEKAL :

 ALAMAT PETI SEBUT HARGA : ARAS BAWAH, BANGUNAN ARKIB, KEMENTERIAN PERTAHANAN,
BOLKIAH GARRISON BB3510

EMAIL PEMBEKAL :

TAFIS VENDOR ID :


BIL	KETERANGAN BARANG	KTI	HARGA SATU	HARGA SEMUA	TEMPOH SAH HARGA (MINIMUM 180 HARI)	TEMPOH PENGHANTARAN	BUATAN NEGERI	LAIN-LAIN HAL
	PERMOHONAN PEMBELIAN UNTUK STRUCTURE BAY AND COMPOSITE							
1	AIR MOTOR OIL 16 OZ (1 BOX = 6 PACKS) <i>Unit in box of 6 bottles</i> <i>16 oz each bottle</i> <i>Clean, protect and lubricate pneumatic tools</i>	01 BOX						
2	LIGHT BULB, TWO-PIN WEDGE PLUG-ON FLUORESCENT <i>Two-Pin Wedge Base Plug-in compact light bulbs</i> <i>13W Fluorescent bulb</i> <i>Cool light appearance</i> <i>Plastic-coated glass</i> <i>1 1/8 in overall length</i>	10 EA						
3	MULTI PURPOSE SANDING BELTS, 6INW/79INL/80 GRIT <i>Tear resistant cloth backing coated with aluminium oxide</i> <i>6 in wide and 79 in length</i> <i>Rough finish 80 grit</i>	10 EA						
4	MULTI PURPOSE SANDING BELTS, 6INW/79INL/100 GRIT <i>Tear resistant cloth backing coated with aluminium oxide</i> <i>6 in wide and 79 in length</i> <i>Rough finish 100 grit</i>	10 EA						
5	WIRE BRUSH TO REMOVE RUST/STAIN, 1/2IN W/1/4IN D/1IN L SHK <i>Brass bristles to remove rust and stains</i> <i>1/2 in diameter and 1 in length brush</i> <i>1/4 diameter in and 7/8 in length brush shank</i> PERHATIAN: Perkara-perkara yang perlu (mandatori) dihadapkan sebelum tarikh tutup sebut harga: / Katalog / Contoh (Kauiter Utama, Bahagian Perolehan, Aras Bawah, Block D, Jabatanarah Kewangan & Perolehan, Kementerian Pertahanan) Jika didapati gagal, sebut harga tersebut tidak akan diperfimbangkan.	50 EA						

JUMLAH SEMUA HARGA YANG DITAWARKAN - ANGKA B\$

DAN PERKATAAN :

PANDUAN

PERMOHONAN PEMBELIAN YANG DIPOHONKAN MENGIKUT SPEKSIFIKASI

BIL	JENIS BARANG	PART NO./ STOCK NO.	KUANTITI DIPOHONKAN	SPEKSIFIKASI	CONTOH GAMBAR
1	AIR MOTOR OIL, 16 OZ, 6 PACK	IM1PTMP6	1 BOX (PACK OF 6)	- Unit in box of 6 bottles 16 oz each bottle - Clean, protect and lubricate pneumatic tools	
2	LIGHT BULBS, TWO-PIN WEDGE PLUG-ON FLOURESCENT	8621K7	10 EA	- Two-Pin Wedge Base Plug-in compact light bulbs 13W Fluorescent bulb - Cool light appearance - Plastic-coated glass 1 1/8in overall length	
3	MULTI PURPOSE SANDING BELTS, 6in W / 79in L / 80 Grit	4744A528	10 EA	- Tear resistant cloth backing coated with aluminium oxide 6 in wide and 79 in length - Rough finish 80 grit	 Belt Length
4	MULTI PURPOSE SANDING BELTS, 6in W / 79in L / 100 Grit	4744A527	10 EA	- Tear resistant cloth backing coated with aluminium oxide 6 in wide and 79 in length - Rough finish 100 grit	 Belt Length
5	WIRE BRUSH TO REMOVE RUST/STAIN, 1/2in W/ 1/4in D/ 1 in L Shk	4871A11	50 EA	- Brass bristles to remove rust and stains 1/2 in diameter and 1 in length brush 1/4 diameter in and 7/8 in length brush shank	





Home > power tools > power tool accessories > general accessories > lubrication accessories > Oil, Air Motor, 16 oz, 6-pack

Shop By Category ▼



Image shown may not be actual product but represents product or set which includes product

Oil, Air Motor, 16 oz, 6-pack

★★★★★

76.25 USD

Item: IM1PTMP6

Qty:

1

Add to cart

Add to Wish List

- Overview
- Specification
- Reviews
- Sets/Members
- Repair Parts

Description

- Cleans all piston and rotary air motors and helps prevent rust formation
- Six pack of IM1PT 16 oz bottles



LED bulbs last longer and are more efficient than fluorescent bulbs. They generate little heat and withstand vibration. **Plastic** bulbs are shatterproof. **Socket-ready** bulbs work with most instant-start electronic ballasts, but not all. For a full list of compatible ballasts select a part number and view product detail. **Fluorescent** bulbs are energy efficient, but they contain small amounts of mercury (for disposal information, visit www.epa.gov/cfl).

Bulbs that **cannot be sold** to the areas listed exceed local regulatory limits on mercury and/or do not meet local efficiency standards.

O'all Lg.	Equiv. Fluorescent Bulb Wattage	Light Appearance	Brightness, lumens	CRI	Light Setting	Bulb Material	Light Technology	LED Installation Type	Wattage	Rated Life, hrs.	Est. Yearly Energy Cost, \$	Bulb Trade Number	Cannot Be Sold To	Pkg. Qty.	Pkg.
T5 Bulb (5/8" Dia.)															
21"	13W	Cool (4,100K)	820	59	Dimmable	Glass	Fluorescent	—	13W	7,500	1.57	F13T5	Canada, CA, CO, HI, ME, MN, OR, RI, VT	2	1562K48 \$17.67
21"	13W	Cool (4,100K)	820	59	Dimmable	Glass	Fluorescent	—	13W	7,500	1.57	F13T5	Canada, CA, CO, HI, ME, MN, OR, RI, VT	25	1562K17 184.06
T8 Bulb (1" Dia.)															
48"	32W	Warm (3,000K)	2,000	82	Dimmable	Plastic	LED	Socket Ready	13W	70,000	1.69	—	—	1	1619N27 12.46
48"	32W	Warm (3,000K)	2,000	82	Dimmable	Plastic	LED	Socket Ready	13W	70,000	1.69	—	—	10	1619N67 112.14
48"	32W	Neutral (3,500K)	2,000	82	Dimmable	Plastic	LED	Socket Ready	13W	70,000	1.69	—	—	1	1619N28 12.46
48"	32W	Neutral (3,500K)	2,000	82	Dimmable	Plastic	LED	Socket Ready	13W	70,000	1.69	—	—	10	1619N68 112.14
48"	32W	Neutral (4,000K)	2,100	82	Dimmable	Plastic	LED	Socket Ready	13W	70,000	1.56	—	—	1	1619N29 12.46
48"	32W	Neutral (4,000K)	2,100	82	Dimmable	Plastic	LED	Socket Ready	13W	70,000	1.56	—	—	10	1619N69 112.14
48"	32W	Cool (5,000K)	2,100	82	Dimmable	Plastic	LED	Socket Ready	13W	70,000	1.57	—	—	1	1619N31 12.46
48"	32W	Cool (5,000K)	2,100	82	Dimmable	Plastic	LED	Socket Ready	13W	70,000	1.57	—	—	10	1619N71 112.14

Two-Pin Wedge Base Plug-In Compact Light Bulbs

Often used in task lights, these bulbs are comparable to PL, Dulux, and Blix bulbs. Brightness is measured in lumens; the higher the lumens, the brighter the bulb. Bulbs with a warm light appearance have yellow tones. Bulbs with a neutral light appearance are often used in workspaces. Bulbs with a cool light appearance have white/blue tones and are good for inspecting. A bulb's estimated yearly cost is based on 3 hours of usage per day at \$0.11 per kWh.

LED bulbs last longer and are more efficient than CFL bulbs. They generate little heat, withstand vibration, and are shatterproof. Plug **socket-ready** bulbs into an existing fixture with a compatible ballast. **Ballast bypass** bulbs eliminate the need for a ballast so the socket must be wired directly to the power source.

CFL (compact fluorescent) bulbs are energy efficient, but take several seconds to reach full brightness. They cannot be sold to the listed areas because they do not meet local efficiency standards and exceed local regulatory limits on mercury (for disposal information, visit www.epa.gov/cfl). **Plastic-coated glass** bulbs are shatter resistant; the coating retains glass shards if they break.

GX23 Base



Horizontal, Base Up, Base Down Operating Position


Equiv. Fluorescent Bulb Wattage	Light Appearance	Brightness, lumens	Light Technology	Light Setting	Bulb Material	O'all Lg.	LED Installation Type	Wattage	Rated Life, hrs.	Est. Yearly Energy Cost, \$	Cannot Be Sold To	Each
Horizontal, Base Up, Base Down Operating Position												
13W	Warm (2,700K)	825	CFL	Not Dimmable	Glass	7"	—	13W	10,000	1.57	Canada, CA, CO, HI, ME, MN, OR, RI, VT	1528K93 \$2.89
13W	Neutral (3,500K)	600	LED	Not Dimmable	Plastic	7 1/8"	Ballast Bypass	6W	50,000	0.72	—	1647N31 12.23
13W	Neutral (3,500K)	825	CFL	Not Dimmable	Glass	7"	—	13W	10,000	1.57	Canada, CA, CO, HI, ME, MN, OR, RI, VT	1528K53 2.89
13W	Cool (4,100K)	800	CFL	Not Dimmable	Plastic-Coated Glass	7 1/8"	—	13W	10,000	1.57	Canada, CA, CO, HI, ME, MN, OR, RI, VT	8621K7 13.92
13W	Cool (4,100K)	825	CFL	Not Dimmable	Glass	7"	—	13W	10,000	1.57	Canada, CA, CO, HI, ME, MN, OR, RI, VT	1528K51 2.89
13W	Cool (5,000K)	800	CFL	Not Dimmable	Glass	7"	—	13W	10,000	1.57	Canada, CA, CO, HI, ME, MN, OR, RI, VT	1528K101 3.25

GX23-2 Base



McMASTER-CARR®

Multipurpose Sanding Belts



Belts have a tear-resistant cloth backing coated with aluminum oxide. Use on belt sanders. For 4 1/2" to 10" wide belts, prices are approximately 15% lower when you buy 5 or more of the same grit and size.

Rough Finish

		36 Grit		40 Grit		50 Grit		60 Grit		80 Grit	
Wd.	Lg.	Each		Each		Each		Each		Each	
6"	79"	4744A047	\$18.50	4744A534	\$18.16	4744A046	\$16.96	4744A53	\$16.96	4744A528	\$16.96

Smooth Finish


		100 Grit		120 Grit		150 Grit		180 Grit	
Wd.	Lg.	Each		Each		Each		Each	
6"	79"	4744A527	\$14.06	4744A523	\$14.06	4744A522	\$14.06	4744A514	\$14.06

Extra-Smooth Finish

		240 Grit		320 Grit		400 Grit	
Wd.	Lg.	Each		Each		Each	
6"	79"	4744A512	\$14.06	4744A045	\$14.06	5142A785	\$14.06



Multipurpose Sanding Belts



Belts have a tear-resistant cloth backing coated with aluminum oxide. Use on belt sanders. For 4 1/2" to 10" wide belts, prices are approximately 15% lower when you buy 5 or more of the same grit and size.

Rough Finish

		36 Grit		40 Grit		50 Grit		60 Grit		80 Grit	
Wd.	Lg.	Each		Each		Each		Each		Each	
6"	79"	4744A04	\$18.3	4744A53	\$17.9	4744A04	\$16.9	4744A5	\$16.9	4744A52	\$16.9
"	"	7	2	4	8	6	6	3	6	8	6

Smooth Finish

		100 Grit		120 Grit		150 Grit		180 Grit	
Wd.	Lg.	Each		Each		Each		Each	
6"	79"	4744A527	\$13.92	4744A523	\$13.92	4744A522	\$13.92	4744A514	\$13.92

Extra-Smooth Finish

		240 Grit		320 Grit		400 Grit	
Wd.	Lg.	Each		Each		Each	
6"	79"	4744A512	\$13.92	4744A045	\$13.92	5142A785	\$13.92



McMASTER-CARR®

Long-Lasting Low-Scratch Brushes with Shank for Tight Spaces



Removable bands around the bristles keep them from flaring and breaking. Adjust the bands to change bristle length. Use these brushes to remove light-to-medium rust and stains and small burs from delicate surfaces in hard-to-reach spots. The bristles won't leave behind debris that could cause rust on your workpiece.

Brush Dia.	Shank		Bristle		Flexibility	Max. Speed, rpm	Each	
	Dia.	Lg.	Dia.	Lg.			1-11	12-Up
For Use With Drills, Grinders for Bits and Burs								
Brass Bristles—For Use On Stainless Steel, Aluminum, Brass, Bronze, Copper, Plastic								
1/2"	1/4"	7/8"	0.005" 1"	Crimped	Flexible	20,000	4871A11 \$16.88	\$14.34
1/2"	1/4"	7/8"	0.010" 1"	Crimped	Flexible	20,000	4871A14 14.91	12.68
1/2"	1/4"	7/8"	0.020" 1"	Crimped	Flexible	20,000	4871A17 14.91	12.68
3/4"	1/4"	7/8"	0.005" 1"	Crimped	Flexible	20,000	4871A13 22.84	19.41
3/4"	1/4"	7/8"	0.010" 1"	Crimped	Flexible	20,000	4871A15 18.06	15.36
3/4"	1/4"	7/8"	0.020" 1"	Crimped	Flexible	20,000	4871A18 18.06	15.36
1"	1/4"	7/8"	0.005" 1"	Crimped	Flexible	20,000	4871A12 27.66	23.51
1"	1/4"	7/8"	0.010" 1"	Crimped	Flexible	20,000	4871A16 21.25	18.06
1"	1/4"	7/8"	0.020" 1"	Crimped	Flexible	20,000	4871A19 19.69	16.

