

KETERANGAN PEMBELIAN TEMPATAN - JKP KEMENTAH

RUJUKAN SEBUTHARGA : MINDEF/DFA/FY2026/ITAU/MAB/LP/006

TARIKH TUTUP SEBUTHARGA : 13 / 08 / 2026 (KHAMIS, 08:00 PAGI)

PETI PENERIMAAN SEBUTHARGA : BOX (02)

ALAMAT BARU: : ARAS BAWAH, BANGUNAN ARKIB
KEMENTERIAN PERTAHANAN, BOLKIAH GARISSON

NAMA SYARIKAT : _____

COP SYARIKAT & TANDATANGAN : _____

TEL PEMBEKAL : _____ FAX PEMBEKAL : _____

EMAIL PEMBEKAL : _____


TAFIS VENDOR ID : _____


BIL	KETERANGAN BARANG	KTI	HARGA SATU	HARGA SEMUA	TEMPOH SAH HARGA (MINIMUM 180 HARI)	TEMPOH PENGHANTARAN	BUATAN NEGERI	LAIN-LAIN HAL (WARRANTY)
	PEMBELIAN ALAT KELENGKAPAN IT DAN AKSESORI KOMPUTER							
1	CAT6 UTP LAN CABLE (305M PER BOX)	01 BOX						
2	4K HIGH QUALITY HDMI (20-METER CABLE)	05 SET						
3	4K HIGH QUALITY HDMI (10 METER CABLE)	05 SET						
4	POWER SOCKET PD 20W FAST CHARGING SMART POWER STRIPS 10 UNIVERSAL STANDARD CHARGING POWER EXTENSION	10 EA						
5	TYPE C TO RJ45 ADAPTER 3.0	10 EA						
6	USB TYPE A TO RJ45 ADAPTER 3.0	10 EA						
7	HDMI TO VGA CONVERTER	10 EA						
8	HDD DOCKING STATION FOR UP TO FOUR 2.5"/3.5" SATA HDDs AND SSDs	01EA						
9	WIRELESS PRESENTATION REMOTE CLICKER WITH LASER POINTER	10 EA						
10	HDMI 2.0 SPLITTER 1 IN 4 OUT	10 SET						
11	NETWORK CONNECTER AMP RJ45 CAT6 100/BOX	02 BOX						
12	10-PORT GIGABIT EASY MANAGED SWITCH WITH 8-POT PoE+	03 EA						
13	DISPLAY PORT TO HDMI ADAPTER	10 EA						
	Nota: 1) Sila rujuk spesifikasi & gambar yang di sertakan PERHATIAN: Perkara-perkara yang perlu (mandatori) dihadapkan sebelum tarikh tutup sebutharga: ☐ / Katalog (Spesifikasi penuh) ☐ Contoh (Sila hadapkan ke Kaunter Utama, Bhg Perolehan, Tingkat Bawah, Block D, DFA) * Katalog yang dihadapkan hendaklah menggunakan katalog bagi item yang ditawarkan dan bukan menggunakan katalog yang disertakan Jabatan ini. Jika didapati gagal, sebutharga tersebut tidak akan dipertimbangkan.							

JUMLAH SEMUA HARGA YANG DITAWARKAN - ANGKA B\$ _____ DAN PERKATAAN : _____

17/7


SPESIFIKASI KELENGKAPAN IT DAN AKSESORI KOMPUTER

Items	Item Description/Specification	Qty	Image
(a)	(b)	(c)	(d)
1.	CAT6 UTP LAN Cable (305M per box) - Operating temp: 75°C - Packing: Easy-pull boxes/Cable length of 305M - Conductor: 23 AWG (4 pair) - Conductor Diameter: 0.56±0.02mm	01 Box	
2.	4K High Quality HDMI (20-meter Cable) - Length: 20 Meters - Resolution: Supports 4K (3840x2160) at 30Hz or 4K@60Hz (depends on specific sub-model/version, with some reaching up to 18Gbps) - HDMI Version: Often HDMI 1.4 or 2.0 based on 4K support - Build: Gold-plated connectors, tinned copper wire, triple shielding (reduces EMI) - Capabilities: HDR, 3D, Audio Return Channel (ARC), and Ethernet Channel	05 Set	
3.	4K High Quality HDMI (10-meter Cable) - Length: 20 Meters - Resolution: Supports 4K (3840x2160) at 30Hz or 4K@60Hz (depends on specific sub-model/version, with some reaching up to 18Gbps) - HDMI Version: Often HDMI 1.4 or 2.0 based on 4K support - Build: Gold-plated connectors, tinned copper wire, triple shielding (reduces EMI) - Capabilities: HDR, 3D, Audio Return Channel (ARC), and Ethernet Channel	05 Set	
4.	Power Socket PD 20W Fast Charging Smart Power Strips 10 Universal Standard Charging Power Extension - 30W high power, charge fast for tablets and phones which support PD3.0 and QC3.0 fast charging protocol. - Output: 2500W - 3M heavy-duty power cord can flow optimal power to connected devices. - Protect up to 16 devices against spikes, fluctuations, and electromagnetic interference.	10 Ea	

5.	Type C to RJ45 Adapter 3.0 - Hardware interface: USB 3.0 type C - Data link protocol: ethernet - Data transfer speed: 2.5 Gigabits per second - Item weight: 60 Grams - Power: USB-powered, no external adapter needed	10 Ea	
6.	USB Type A to RJ45 Adapter 3.0 - Hardware interface: USB 3.0 type A - Data link protocol: ethernet - Data transfer speed: 2.5 Gigabits per second - Item weight: 60 Grams - Power: USB-powered, no external adapter needed	10 Ea	
7.	HDMI to VGA Converter - Input: HDMI - Output 1: HDMI, V 1.4b, 3D, 2K*4K/30HZ - Output 2: VGA, 1920*1200P/60HZ	10 Ea	
8.	HDD Docking Station for up to four 2.5"/3.5" SATA HDDs and SSDs Materials: Aluminum and ABS - Tool-free installation, easy to install and disassemble. plug and play. - Transfer speeds up to 5Gbps. - Supports four SSD/HDD drives, 2.5" or 3.5," at one time. - Backwards compatible with: USB 3.0/2.0/1.1 - LED indicators: Shows power condition and read status clearly. - Supported operating systems including: Windows 10 / 8 / 7 / Vista / XP or Mac OS 9.1 and above - Supported hard drive: Both 2.5" and 3.5" HDD / SSD.	01 Ea	 

9.	Wireless Presentation Remote Clicker with laser pointer - Laser Type: Green Light (brighter for displays/projectors) - Maximum Laser Distance: 100 meters - Wireless Technology: 2.4 GHz RF with 50-meter effective range - Receiver: Dual-interface (USB-A and USB-C) magnetic receiver - Battery: Built-in 3.7V/200mAh rechargeable lithium battery - Charging Port: USB-C - Functions: Next/Previous Slide, Laser Pointer, Hyperlink Access, Black Screen Mode - Material: PC + ABS - Compatibility: Windows, macOS, Android, Projectors - Compatibility: Plug-and-Play (No driver installation)	10 Ea	
10.	HDMI 2.0 Splitter 1 In 4 Out - Bandwidth: 18Gbps - Output resolution: Supports latest 4K@60Hz, 4K@30Hz, 1920*1080@120Hz resolution, and is backward forward compatible - Audio Format: DTS-HD, Dolby-TureHD, LPCM7.1, DTS, Dolby-AC3, DSD, 192KHz/24bit, HBR Audio - Video Format: RGB 8/10/12 bpc, YCbCr4:4:4, YCbCr4:2:2, YCbCr4:2:0, 8/10/12 bpc	10 set	
11.	Network Connector Amp Rj45 Cat6 100/Box - 100 Cat6 RJ45 pass-through UTP modular plugs in an easy-to-pack plastic bag - Work with most RJ45 crimping tools and 24–26 AWG UTP Cat6 cables - 50 µm gold-plated contacts promote premium data transfer - Staggered nose pattern reduces near-end crosstalk for clearer transmission - Ideal for use with solid or stranded conductor Cat6 cable in your Ethernet application	02 Box	 100Pcs



12.	10-Port Gigabit Easy Managed Switch with 8-Port PoE+ - 9× 10/100/1000Mbps RJ45 ports (8× 802.3af/at-compliant PoE+) - 1× Gigabit SFP/RJ45 Combo port - 63W Power Budget, with up to 30W for each PoE port* - Easy to Use: Supports plug-and-play for instant connectivity and simple configuration for additional features - Centralized Cloud Management via the web - Up to 820ft PoE**, Remote Camera Reboot, QoS, and Port Isolation for reliable surveillance networking - Automatic Loop Prevention, VLAN, and IGMP Snooping - Fanless design for silent operation - Durable metal casing and desktop/wall mounting design	03 Set	
13.	Display Port to HDMI Adapter - Cable: Video adapter - DisplayPort / HDMI - Length: 8 inch - Connectors: DisplayPort – male - Connector (Second End): HDMI – female - DisplayPort to HDMI 2.0 (4K)	10 Ea	

