

KETERANGAN PEMBELIAN TEMPATAN - JKP KEMENTAH

RUJUKAN SEBUTHARGA : MINDEF/DFA/FY2026/NAU/GSU/LP/1002

TARIKH TUTUP SEBUTHARGA : 23 - 7 - 2026 (KHAMIS , 08:00 PAGI)

PETI PENERIMAAN SEBUTHARGA : BOX (4)

ALAMAT BARU: BANGUNAN ARKIB, ARAS BAWAH, KEMENTERIAN PERTAHANAN,
BOLKIAH GARISON

NAMA SYARIKAT : _____

CAP SYARIKAT DAN TANDATANAN : _____

TEL PEMBEKAL : _____ FAX PEMBEKAL : _____

E-MAIL PEMBEKAL : _____

VENDOR ID PEMBEKAL : _____

BIL	KETERANGAN BARANG	KTI	HARGA SATU	HARGA SEMUA	TEMPOH SAH HARGA (MINIMUM 180 HARI)	TEMPOH PENGHANTARAN	BUATAN NEGERI	LAIN-LAIN HAL
	<u>PURCHASE AND SUPPLY OF TYRES WITH COMPLETE INSTALLATION WITH WHEEL BALANCING, ALIGNMENT AND CAMBER ADJUSTMENT FOR GURKHA SECURITY UNIT MOD VEHICLES</u>							
1	TYRE SIZE 7.0 R16 C 12 PR FLAP COVER AND INNER TUBE	80 EA						
2	TYRE SIZE 6.50 R 16 C 10 PR FLAP COVER AND INNER TUBE	19 EA						
3	TYRE SIZE 7.50 R 16 C 8 PR TUBELESS VALVE	9 EA						
4	TYRE SIZE 205 R 16 C 8 PRR TUBLESS VALVE	34 EA						
5	TYRE SIZE 14.00 R 20 22 PR FLAP COVER AND INNER TUBE	10 EA						
6	TYRE SIZE 265/60 R 18 110H TUBELESS VALVE	12 EA						

BIL	KETERANGAN BARANG	KTI	HARGA SATU	HARGA SEMUA	TEMPOH SAH HARGA (MINIMUM 180 HARI)	TEMPOH PENGHANTARAN	BUATAN NEGERI	LAIN-LAIN HAL
7	TYRE SIZE 185 R 14 C 8 PR TUBELESS VALVE	8 EA						
8	TYRE SIZE 215/75 R 16 C 8 PR TUBELESS VALVE	13 EA						

NOTE:

1. Catalogue must be submitted.
2. Tyres must be not older than over two (2) years from the date of manufacture.
3. Preferable tyres are expected.
4. Installation with Wheel Balance, alignment and Camber Adjustment required.

PERHATIAN:

Perkara-perkara yang perlu (mandatori) di hadapkan sebelum tarikh tutup sebutharga :

☐

Katalog & Spesifikasi Teknikal mesti di sertakan untuk penilaian.

☐

Contoh


Jika di dapati gagal, sebutharga tersebut tidak akan di pertimbangkan.


PERINGATAN:

Tidak dibenarkan menggunakan katalog Jabatanarah ini.

JUMLAH SEMUA HARGA YANG DI TAWARKAN - ANGKA B\$ _____ DAN PERKATAAN: _____

THE CATALOGUE AND SPECIFICATIONS OF TYRES FOR GSU MOD VEHICLES

Ser	Designation	Flap Cover/ Tubeless Valve	Inner Tube/ Tubeless	Complete Installation with Wheel Balancing, Alignment & Camber Adjustment	Brand	Tyre Photographs
1	Tyre Size 7.00 R16 C 12PR	Flap Cover	Inner Tube	Yes 10 Vehicles	Bridgestone or Equivalent	
2	Tyre Size 6.50 R16 C 10PR	Flap Cover	Inner Tube	Yes 5 Vehicles	Bridgestone or Equivalent	

Ser	Designation	Flap Cover/ Tubeless Valve	Inner Tube/ Tubeless	Complete Installation with Wheel Balancing, Alignment & Camber Adjustment	Brand	Tyre Photographs
3	Tyre Size 7.50 R16 C 8PR	Tubeless Valve	Tubeless	Yes 2 Vehicles	Bridgestone or Equivalent	
4	Tyre Size 205 R16 C 8PR	Tubeless Valve	Tubeless	Yes 9 Vehicles	Bridgestone or Equivalent	

Ser	Designation	Flap Cover/ Tubeless Valve	Inner Tube/ Tubeless	Complete Installation with Wheel Balancing, Alignment & Camber Adjustment	Brand	Tyre Photographs
5	Tyre Size: 14.00 R20 22PR	Flap Cover	Inner Tube	Yes 2 Vehicles	Bridgestone or Equivalent	
6	Tyre Size 265/60 R18 110H	Tubeless Valve	Tubeless	Yes 2 Vehicles	Bridgestone or Equivalent	

Ser	Designation	Flap Cover/ Tubeless Valve	Inner Tube/ Tubeless	Complete Installation with Wheel Balancing, Alignment & Camber Adjustment	Brand	Tyre Photographs
7	Tyre Size 185 R14 C 8PR	Tubeless Valve	Tubeless	Yes 1 Vehicle	Bridgestone or Equivalent	
8	Tyre Size 215/75 R16 C 8PR	Tubeless Valve	Tubeless	Yes 2 Vehicles	Bridgestone or Equivalent	