

**KETERANGAN PEMBELIAN TEMPATAN - JKP KEMENTAH**

RUJUKAN SEBUTHARGA : MINDEF/DFA/FY2026/NAU/LB/LP/1029  
 TARIKH TUTUP SEBUTHARGA : 30 / 07 /2026 (KHAMIS, 08.00 PAGI)  
 PETI PENERIMAAN SEBUTHARGA : BOX ( 05)  
 ALAMAT BARU: BANGUNAN ARKIB, ARAS BAWAH  
 KEMENTERIAN PERTAHANAN, BOLKIAH GARISSON

NAMA SYARIKAT :  
 COP SYARIKAT & TANDANTANGAN :  
 FAX PEMBEKAL : TEL PEMBEKAL :  
 EMAIL PEMBEKAL :  
 TAFIS VENDOR ID :

| BIL | KETERANGAN BARANG                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | KTI<br>(EA) | HARGA SATU<br>(BND) | HARGA SEMUA<br>(BND) | TEMPOH SAH HARGA<br>(HARI) | TEMPOH<br>PENGHANTARAN | BUATAN<br>NEGERI | HAL-HAL LAIN |
|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|---------------------|----------------------|----------------------------|------------------------|------------------|--------------|
| 1   | <p><b>PEMBELIAN PROJECTOR BAGI KEGUNAAN UNIT TENTERA DARAT<br/>DIRAJA BRUNEI</b></p> <p>PROJECTOR</p> <p>23<br/>EA</p> <p>PERHATIAN: <b>KATALOG DISERTAKAN</b></p> <p>Perkara-perkara yang perlu (mandatori) dihadapkan sebelum tarikh tutup sebutharga</p> <p><input type="checkbox"/> / <input type="checkbox"/> Katalog (Sila hadapkan katalog berwarna dan spesifikasi tersendiri yang jelas untuk dibuat penilaian)</p> <p><input type="checkbox"/> Contoh</p> <p>Katalog yang dihadapkan hendaklah bukan menggunakan katalog yang disertakan Jabatan ini.</p> <p>Jika didapati gagal, sebutharga tersebut tidak akan dipertimbangkan.</p> |             |                     |                      | 180 HARI                   |                        |                  |              |

JUMLAH SEMUA HARGA YANG DITAWARKAN - ANGKA BS \_\_\_\_\_ DAN PERKATAAN : \_\_\_\_\_

- 

Technical drawing of a portable electronic device, showing five views and dimensions:

- Top View:** Shows the front of the device with a central lens and control panel. Dimensions: Total width 222.0, lens diameter 156.0, lens offset 48.8, total height 0.861, lens height 2.47.
- Bottom View:** Shows the back of the device with a large rectangular panel. Dimensions: Total width 456.6, panel height 198.6.
- Left Side View:** Shows the left profile of the device. Dimensions: Total height 391.0, panel height 31.5, panel width 54.6, total width 356.2, panel offset 54.6, panel depth 13.1.
- Right Side View:** Shows the right profile of the device. Dimensions: Total height 70.5, panel height 21.5, panel width 54.6.
- Front View:** Shows the front of the device with a central lens and control panel. Dimensions: Total width 222.0, lens diameter 156.0, lens offset 48.8, total height 0.861, lens height 2.47.

The rear panel of the 1000 Series 1U Rack Mountable System features the following ports and connectors:

- CHDB&ET RLink**: Two RJ45 ports for network connectivity.
- LAN**: Two green RJ45 ports for standard network connectivity.
- OUT(5V)**: A green circular port for 5V output.
- CRESTRON connected**: A blue circular port for Crestron control system integration.
- HDMI 1** and **HDMI 2**: Two HDMI ports for video output.
- DVI-D**: A DVI-D port for digital video output.
- RS-232C**: An RS-232C serial port for data communication.
- VGA IN** and **VGA OUT**: Two VGA ports for analog video input and output.
- VIDEO**: A yellow circular port for composite video input.
- DLP TEXAS INSTRUMENTS**: A logo indicating the use of Digital Light Processing technology.

# ומכא

## SPEKIFIKASI BAGI PEMBELIAN PROJECTOR BAGI KEPERLUAN TENTERA DARAT DIRAJA BRUNEI



### Description

Low weight, quiet operation and interchangeable lens options which is ideal for professional installations.

Short throw projector, laser phosphor lighting technology eliminates the need for lamp and filter replacements, offering 20,000 hours of low-cost operation. Advance color matching with HSG adjustments enable fine-tuning with multiple projector installations.

Robust input options includes HDMI, DVI-D and VGA for connectivity to a wide range of devices. HDBaseT enables greater installation flexibility by supporting audio, video and control. Has a motorized lens shift, zoom and focus for effortless setup.

### Key Features

- Sharp and luminous image with 6,000 lumens and 2,000,000:1 contrast ratio
- Four corner adjustments provide greater installation versatility