

KETERANGAN PEMBELIAN TEMPATAN - JKP KEMENTAH

RUJUKAN SEBUTHARGA : MINDEF/DFA/FY2026/LSAU/HUTJERPK/16

TARIKH TUTUP SEBUTHARGA : 30 / 07 / 2026 (KHAMIS, SEBELUM 08:00 PAGI)

PETI PENERIMAAN SEBUTHARGA : BOX NO (05)

ALAMAT BARU : ARAS BAWAH, BANGUNAN ARKIB
KEMENTERIAN PERTAHANAN, BOLKIAH GARISON

NAMA SYARIKAT : _____

COP SYARIKAT & TANDATANGAN : _____

TEL PEMBEKAL : _____ FAX PEMBEKAL : _____

EMAIL PEMBEKAL : _____

TAFIS VENDOR ID : _____

BIL	KETERANGAN BARANG	KTI	HARGA SATU	HARGA SEMUA	TEMPOH SAH HARGA (MINIMUM 180 HARI)	LAIN-LAIN HAL
1	<u>PEMBEKALAN DAN PEMASANGAN FABRICATED 3D LOGO BAGI SAMBUTAN HARI ULANG TAHUN JUBLI EMAS REJIMEN PASUKAN KHAS ANGKATAN BERSENJATA DIRAJA BRUNEI (HUT JE RPK ABDB)</u> <i>Fabricated 3D Logo</i> NOTA: Diperlukan sebelum 07 Ogos 2026. Sila rujuk Lampiran bagi spesifikasi yang diperlukan. PERHATIAN : Perkara-perkara yang perlu (mandatori) dihadapkan sebelum tarikh tutup sebutharga: / Katalog / Contoh (sila hadapkan ke Alamat diatas) <i>Bin</i> Jika didapati gagal, sebutharga tersebut tidak akan dipertimbangkan.	2 EA				

JUMLAH SEMUA HARGA YANG DITAWARKAN - ANGKA BND _____ DAN PERKATAAN : _____.

**SKOP KERJA KHIDMAT BEKALAN DAN PEMASANGAN (SUPPLY AND INSTALL) ALAT KELENGKAPAN FABRICATED 3D LOGO DI
MES PEGAWAI INSTITUT LATIHAN, PENANJONG GARISON.**

Bil	Skop Kerja	Kuantiti
(a)	(b)	(c)
01	<i>Install and Supply Fabricated 3D Logo</i>	
	1.1 Supply, fabricate, deliver, and install custom-made 3D logos in accordance with approved artwork and dimensions. 1.2 Fabricate logos using Fiberglass Reinforced Plastic (FRP), resin composite, or approved equivalent material. 1.3 Minimum thickness of 20–30 mm with reinforced internal structure. 1.4 Apply automotive-grade metallic gold and multi-colour paint finish with clear protective coating. 1.5 Accurately reproduce all insignia, texts, and details with smooth and defect-free surfaces. 1.6 Provide concealed stainless-steel mounting studs or heavy-duty brackets for a clean appearance. 1.7 Supply all necessary accessories, anchors, fasteners, and consumables required for installation. 1.8 Conduct site measurement and ensure proper alignment and spacing during installation. 1.9 Ensure all logos are securely fixed, level and free from visible defects. 2.0 Remove debris and clean the work area upon completion.	02 units



SPESIFIKASI TEKNIKAL FABRICATED 3D LOGO DAN PLATFORM DI BANGUNAN MARKAS BAGI HUT JE RPK ABDB.

BIL	GAMBAR	SPESIFIKASI	JUMLAH DIPOHONKAN
(a)	(b)	(c)	(d)
01	 FABRICATED 3D LOGO	Features: - Fiberglass Reinforced Plastic (FRP) or approved equivalent material with minimum thickness of 25 mm (1 inch). - Finish with high-quality metallic gold and multi-colour automotive paint complete with clear protective coating. Provide concealed mounting system with stainless steel brackets and accessories. - Logo without 3D or Pop out effect. • Measurement: 120 cm	02 ea (Mes Pegawai IL)

