

KETERANGAN PEMBELIAN TEMPATAN - JKP KEMENTAH

RUJUKAN SEBUTHARGA : MINDEF/DFA/FY2026/NAU/DEN/LP/1005

TARIKH TUTUP SEBUTHARGA : 20 - 8 - 2026 (KHAMIS, 08:00 PAGI)

PETI PENERIMAAN SEBUTHARGA : BOX (3)

ALAMAT BARU: BANGUNAN ARKIB, ARAS BAWAH, KEMENTERIAN PERTAHANAN,
BOLKIAH GARISON

NAMA SYARIKAT : _____

CAP SYARIKAT DAN TANDATANGAN : _____

TEL PEMBEKAL : _____ FAX PEMBEKAL : _____

E-MAIL PEMBEKAL : _____

VENDOR ID PEMBEKAL : _____

BIL	KETERANGAN BARANG	KTI	HARGA SATU	HARGA SEMUA	TEMPOH SAH HARGA (MINIMUM 180 HARI)	TEMPOH PENGHANTARAN	BUATAN NEGERI	LAIN-LAIN HAL
1	<u>PEMBELIAN PERALATAN DAN KELEGGKAPAN PERGIGIAN (DENTAL EQUIPMENT)</u> HEAT SEALER (Sila rujuk spesifikasi di sertakan)	01 UNIT						
2	WASHING MACHINE FRONT LOAD WASH AND DRYER (Sila rujuk spesifikasi di sertakan)	06 UNIT						
PERHATIAN: Perkara-perkara yang perlu (mandatori) di hadapkan sebelum tarikh tutup sebutbarga : ☒ Katalog & Spesifikasi Teknikal mesti di sertakan untuk penilaian. ☐ Contoh Jika di dapati gagal, sebutbarga tersebut tidak akan di pertimbangkan. PERINGATAN: Tidak dibenarkan menggunakan katalog Jabatanarah ini.								

31/7

JUMLAH SEMUA HARGA YANG DI TAWARKAN - ANGKA B\$ _____ DAN PERKATAAN: _____

Dental Decontamination Equipment	
Demand Reference	DSE/06/26/01
Description	HEAT SEALER
Quantity Required	1 UNIT

Ser	Technical Data & Dimensional		Offer Model/Brand
	Item	Specification	
(a)	(b)	(c)	(d)
Essential			
1	General	The HD 480 WSI-V ValiPak Touch is the first validatable, constantly heated bar sealer with touchscreen, used for heat sealing sterile barrier systems (Pouches and reels). The large 4.3" touchscreen on the ValiPak Touch is always in the user's field of vision and shows all status and warning message.	
2	Features and Benefits	➤ Validatable sealing process according to EN ISO 11607-2 ➤ Easy and safe guiding through the qualification processes via 4.3" touchscreen. ➤ Allert-function in case the preset parameter deviate. ➤ Automatic monitoring of process parameters sealing time, sealing temperature and contact pressure. ➤ Short heating-up time (< 2min)	
3	Specifications	➤ Supply Voltage 220 – 240 Volts 50/60 Hz ➤ Net weight 6.6 Kg (14.5 lbs.) ➤ Power (may vary during heat-up time) 100 W ➤ External dimensions (W x D x H) 420 x 360 x 220 mm ➤ Sealing seam length 250 mm ➤ Cutting length 250 mm ➤ Heat-up time approx. 2 min ➤ Display 4.3" Touchscreen ➤ Sealing temperature max. 220 degree celcius ➤ Sealing time 3 – 6 seconds (Monitored)	
Installation and Support			
4	Installation	No extra charges for the following needs; ➤ Installation. ➤ Commissioning. ➤ On-Site Demo/Training for Operators and Technical Staff. ➤ No limit of breakdown calls.	
5	Approved Agent Status	It is essential that the contractor/supplier submit a letter from the manufacturer stating that they:	



5	Approved Agent Status	It is essential that the contractor/supplier submit a letter from the manufacturer stating that they: ➤ Manufacturers authorized the supplier of the equipment. ➤ Are authorized by the manufacturer to install test and commission their equipment.	
6	Equipment Whole-Life Support	It is essential that the contractor/supplier submit a letter from the manufacturer guaranteeing that spare parts will continue to be supplied for at least 10 years which is the envisaged in-service life of the equipment.	
7	Warranty	It is essential that the manufacturer provided a minimum of 2 year warranty support (parts and labor) from the date of acceptance into service.	
8	Technical Service Manual	The Supplier Shall provide during commissioning period a complete set of Technical Service manuals to assist in the conduct of routine maintenance procedures and fault finding techniques.	
Desirable			
9	Preferred Model/Brand & Country Origin of The Manufacturer	Hawo HD 480 or Equivalent.	


***Important Notice**

This specification annex form must complete and attached with the quotation tenders provided.

Company / Supplier Chop & Signature,

.....






Dental Decontamination Equipment	
Dental Services RBAF Demand Reference	DSE/06/26/01
Description	HEAT SEALER
Quantity Required	1 UNIT
Preferred Model/Brand & Country Origin of The Manufacturer	HAWO HD 480 or Equivalent.
Submitting Catalogue / Brochures	The Supplier must submit the Catalogue / Brochures completely for the offered item.



Dental Decontamination Equipment	
Demand Reference	DSE/06/26/03
Description	WASHING MACHINE HOT WASH AND DRYER
Quantity Required	6 units

Ser	Technical Data & Dimensional		Offer
	Item	Specification	
(a)	(b)	(c)	(d)
Essential			
1	General	Washing machine (Hot Wash and Dry) for dental clinics used to launder clinical workwear (uniforms, scrubs, isolation gowns, and patient napkins) to a hot temperature of at least 60°C to 95°C to prevent cross-contamination.	
2	Technical data	- Capacity (Wash/Dry): 10 kg / 6 kg - Motor: Inverter Direct Drive (10 year warranty on motor) - AI DD (Artificial Intelligence) - Max Spin Speed: 1400 rpm - TurboWash: 39 mins - Dimensions (WxHxD): 600 x 850 x 565 mm - Weight : 73 kg - Drum Volume: 68 Liters - Power Consumption: 2000 Watts	
3	Features	10 KG capacity for handling large laundry loads efficiently. - AI Direct Drive - detects fabric type and optimizes wash motions for better fabric care. - Turbo Wash - 39 min provides a quick, powerful clean to save time. - Steam – Reduces wrinkles and allergens for fresher, cleaner clothes. - Bigger capacity, compact design fits more laundry without taking up extra space.	
Installation and Support			
4	Approved Agent Status	It is essential that the contractor/ Supplier submit a letter from the manufacturer stating that they: - Manufacturers authorized the supplier of the equipment - Are authorized by the manufacturer to install; test and commission their equipment	
5	Warranty	It is essential that the manufacturer provided a minimum of 1 year warranty support (parts and labor) from the date of acceptance into service	



Desirable			
6	Preferred Model/ Brand & country Origin of the manufacturer	LG FV1410H3BA 10KG/6KG AI DD or Equivalent	

*Important Notice

This specification annex form must complete and attached with the quotation tenders provided.

Company / Supplier Chop & Signature

.....





Dental Decontamination Equipment	
Dental Services RBAF Demand Reference	DSE/06/26/03
Descriptions	WASHING MACHINE HOT WASH AND DRYER
Quantity Required	6 UNITS
Preferred Model/Brand & Country Origin of the Manufacturer	LG FV1410H3BA 10KG/6KG AI DD or Equivalent
Submitting Catalogue/Brochures	The Supplier must submit the Catalogue/brochures completely for the offered item.

