

KETERANGAN PEMBELIAN TEMPATAN - JKP KEMENTAH

RUJUKAN SEBUTHARGA : **MINDEF/DFA/FY2026/NAU/MED/LP/1003**

TARIKH TUTUP SEBUTHARGA : **20 - 8 - 2026 (KHAMIS, 08:00 PAGI)**

PETI PENERIMAAN SEBUTHARGA : **BOX (3)**

ALAMAT BARU: **BANGUNAN ARKIB, ARAS BAWAH, KEMENTERIAN PERTAHANAN,
BOLKIAH GARISON**

NAMA SYARIKAT : _____

CAP SYARIKAT DAN TANDATANGAN : _____

TEL PEMBEKAL : _____ FAX PEMBEKAL : _____

E-MAIL PEMBEKAL : _____

VENDOR ID PEMBEKAL : _____

BIL	KETERANGAN BARANG	KTI	HARGA SATU	HARGA SEMUA	TEMPOH SAH HARGA (MINIMUM 180 HARI)	TEMPOH PENGHANTARAN	BUATAN NEGERI	LAIN-LAIN HAL
	PEMBELIAN ALAT KELENGKAPAN PERUBATAN							
1	REFRIGERATOR PHARMACEUTICAL	03 UNITS						
2	4 FOLDER STRETCHER	15 UNITS						
3	THERMAL BLANKET	150 PCS						
	(Sila rujuk Spesifikasi yang di sertakan)							
PERHATIAN: Perkara-perkara yang perlu (mandatori) di hadapkan sebelum tarikh tutup sebutharga : ☐ Katalog & Spesifikasi Teknikal mesti di sertakan untuk penilaian. ☒ Contoh Jika di dapati gagal, sebutharga tersebut tidak akan di pertimbangkan. PERINGATAN: Tidak dibenarkan menggunakan katalog Jabatanarah ini.								

JUMLAH SEMUA HARGA YANG DI TAWARKAN - ANGKA B\$ _____ DAN PERKATAAN: _____



Ceraian B kepada:
 HQ/MED/Q/080
 Btkh : **28** Muharram 1448H
14 Julai 2026M

STOR LOGISTIK PERUBATAN BOLKIAH GARISON
COMPLIANCE AGREEMENT TABLE FOR SUPPLIER

Serial	Item Name			
		REFRIGERATOR PHARMACEUTICAL		
	Catalogue / Specification	As Attached		
(a)	(b)	(c)	(d)	(e)
DESCRIPTION & USER REQUIREMENTS		Comply (√)	Not Comply (√)	Remark
1	Distributor Authorization Letter by the sole agency agreement from the agent.			
2	Warranty life for Equipment – Three (03) Years above.			
3	Warranty Planned Preventive Maintenance: Two times PPM per year during the equipment warranty, six months after the date of commissioning and at the end of warranty period. (include compressor)			
4	Must provided manual instruction from the agent Vendor			
5	Attached SAMPLE from Vendor / Supplier (Returnable/Not Returnable) / or offering site visit, for better evaluating purpose.			
6	Equipment Whole Life Time Support: Supplier must guarantee spare parts are available at least for 10 years after the installation of the equipment.			
7	Technical Support: State number of locally stationed engineers/technicians and the nearest overseas support.			



8	Spare-parts and consumables Listings: Comprehensive spare-parts and consumables listings in the form of softcopy must be provided. Listing must have the following details; Part Number and Part Description.			
9	User Training – Provide from Vendor Training to be conducted locally, tenderers are required to: · Provide training materials, test equipment, demo equipments, etc.			
10	Provided maintenance and service after finish the warranty			
11	After Sale Services – Fully trained technicians are available locally to provide service and repair as and when required			
12	Certificate Internal Safety and Quality Standard: The equipment must comply to either one of 12 international safety standard, namely; - TUV, US FDA Standard , CE MARK, TGA, Canadian CSA Standard , SMG , ADA, CGSB , NF, UKAS, MS and Japanese JIS Standard .			
13	Description: Pharmacy Upright Chillers for use in hospitals and surgeries must meet very stringent requirements for the storage of pharmaceutical products. Liebherr pharmacy fridges are therefore equipped with many functions and features to ensure optimum protection of high-quality preparations and sensitive pharmaceutical products. The flush-mounted electronic controller enables accurate temperature control and creates optimum storage conditions in conjunction with highly effective insulation and the forced-air cooling system. Integrated visual and audible alarm systems warn the user of undesired temperature deviations. This Pharmacy Upright Chiller offers the safety and consistency that are essential for the storage of medicines and pharmaceutical products: 24 hours a day, 365 days a year.			
	Features: - Highly efficient fans cool freshly stored produce quickly and maintain an even refrigeration temperature throughout the interior . The cabinet is equipped with LED lights and external independent light switches. - The digital temperature display indicates the refrigerator's interior temperature to the exact degree.			



14	- Maintains an operating temperature from +2°C to +8°C. The temperature sensors monitor the interior temperature in real-time.			
	- Visual and audible warning installation for high and low-temperature alarms			
	- Safety thermostat to avoid temperatures below +2°C			
	- Visual and audible power failure alarm for at least 12h			
	- Noise emission less than 60 dB(A)			
	- Lockable door. Prevent random door opening.			
	- Foot. Stable and adjustable.			
15	Specifications:			
	- Gross/net capacity: 361/280 liters			
	- Ext. dimensions in mm (w/d/h): 600/615/1840			
	- Int. dimensions in mm (w/d/h): 440/435/1635			
	- Energy consumption in 365 days: 309 kWh			
	- Refrigerant: R 600a			
	- Voltage: 220-240 V~			
	- Temperature range: +5°C			
16	- Gross/net weight: 74 / 68 kg			
	Compressor Warranty			
	- 5 Years Parts			
17	- 3 Years Labor			
	Filter Warranty & Servicing			
	- 5 Years Parts			
18	- twice a year Labor			
	- Supply, delivery and installation must be done by supplier.			
19	- Must be 3 pins plug (Type G)			
20	Delivery Period/Time : Not more than two months			
21	Country Origin : State Country of Origin.			
22	Quality Assurance:			
23	Delivery Ship :			

Note :

- Order and demand will be cancelled, if the delivery product does not meet the specification given by Medical Services, Royal Brunei Land Force.
- There is no brand specification, provided our specified requirements are fulfilled. However, the Brand and Generic names of the product MUST BE STATED.
- Sample **MUST** be include or offering site-visit, this is for the quality evaluation.





STOR LOGISTIK PERUBATAN BOLKIAH GARISON
COMPLIANCE AGREEMENT TABLE FOR SUPPLIER

Serial	Item Name			
		4 FOLDER STRETCHER		
	Catalogue / Specification	As Attached		
(a)	(b)	(c)	(d)	(e)
	DESCRIPTION & USER REQUIREMENTS	Comply (✓)	Not Comply (✓)	Remark
1	Distributor Authorization Letter by the sole agency agreement from the agent			
2	Warranty lifef or Medical Equipment – Three (03) Years above			
3	Warranty Planned Preventive Maintenance: Two times PPM per year during the equipment warranty, six months after the date of commissioning and at the end of warranty period.(For checking the quality of the canvas and frame steel)			
4	Must provided manual instruction from the agent Vendor.			
5	Clear Catalogue / Specification Attached . Sample must be Submit for evaluation purpose. (Returnable)			
6	Supplier must guarantee spare parts are available at least for 10 years after the installation of the equipment.			
7	Technical Support: State number of locally stationed engineers/technicians and the nearest overseas support.			



8	Spare-parts and consumables Listings: Comprehensive spare-parts and consumables listings in the form of softcopy must be provided. Listing must have the following details; Part Number and Part Description. (IF APPLICABLE)			
9	User Training – Provide from Vendor Training to be conducted locally, tenderers are required to: · Provide training materials, test equipment, demo equipments, etc. Provided maintenance and service after finish the warranty			
10	After Sale Services – Fully trained technicians are available locally to provide service and repair as and when required.			
11	Certificate Internal Safety and Quality Standard: The equipment must comply to either one of 12 international safety standard, namely; - TUV, US FDA Standard , CE MARK, TGA, Canadian CSA Standard , SMG , ADA, CGSB , NF, UKAS, MS and Japanese JIS Standard .			
12	Description: Military-style folding stretcher is the best stretcher for combat conditions. The folding system allows you to fold it into a backpack and quickly diffuse to full size when needed. The checked fabric on the field stretcher made from polypropylene mesh is lightweight, antibacterial and easy to clean. Because of these materials, the stretcher is light and very durable. The military-style stretcher is equipped with 2 stabilizing straps to ensure the victim is in the correct position when moving. The keel and outrigger folding system on the back is reliable and durable, and sliding handles provide certainty for victims. During storage and handling, the military-style surplus stretcher is compact and folded.			
13	Features: - The aluminum stretcher is lightweight, portable and easy to use and store. It can be folded vertically or horizontally. Stretcher handles hold the stretcher firmly while sturdy poles and legs provide steady support. - During purification, the net allows blood, body fluids, water and harmful chemicals to flow freely through the patient's body. - Two extra seat belts reduce vibration - Four fold design, will not slow down in the battlefield, can be carried in the soldier's bag. Bring your own backpack for easy storage and transportation. - Handle has non-slip surface design for greater strength.			




	- Rubber end plugs on stretcher handles prevent any blood, body fluids, water or harmful chemicals from entering the stretcher lever.			
	- The elastic keel between the two rods on the back of the stretcher can be used to unfold and fold the surface of the stretcher, with good flexibility.			
	- Folding and Supporting Legs Designed to fold and deploy outrigger legs to keep casualties off the ground.			
	- A super strong military-style stretcher designed for tactical and disaster use.			
	- Maximum load : Aluminum Maximum load:250kg			
	- Color options: Black / ArmyGreen			
	- Fabric selection: Fire retardant canvas			
14	- Back Pack Carrier included.			
15	Delivery Period/Time : Not more than two (02) months			
16	Country Origin : State Country of Origin.			
17	Quality Assurance:			
18	Delivery by Sea/Air Freight :			
Note : a. Order and demand will be cancelled, if the delivery product does not meet the specification given by Medical Services, Royal Brunei Land Force. b. There is no brand specification, provided our specified requirements are fulfilled. However, the Brand and Generic names of the product MUST BE STATED. c. Sample MUST be include or offering site-visit, this is for the quality evaluation.				





STOR LOGISTIK PERUBATAN BOLKIAH GARISON
COMPLIANCE AGREEMENT TABLE FOR SUPPLIER

Serial	Item Name			
		THERMAL BLANKET		
	Catalogue / Specification	As Attached		
(a)	(b)	(c)	(d)	(e)
	DESCRIPTION & USER REQUIREMENTS	Comply (√)	Not Comply (√)	Remark
1	Distributor Authorization Letter by the sole agency agreement from the agent			
2	Warranty life of Medical Equipment – Two (02) Years above			
3	Clear Catalogue / Specification Attached (Video/Picture included for better evaluation, please state.)			
4	Attached SAMPLE from Vendor / Supplier (Returnable/Not Returnable) / or offering site visit, for evaluating purpose.			
5	Must provided manual instruction from the agent Vendor			
6	Certificate Internal Safety and Quality Standard: The equipment must comply to either one of 12 international safety standard, namely; - TUV, US FDA Standard , CE MARK, TGA, Canadian CSA Standard , SMG , ADA, CGSB , NF, UKAS, MS and Japanese JIS Standard . (IF APPLICABLE)			



7	Description:			
	A hospital thermal blanket which is effective in retaining the body heat and providing the required warmth to the patients. The open cell weaves of the blanket form air pathways to ensure enough air circulation such that you do not feel suffocated and overheated. In extreme winters, you could just place a flat sheet atop it to make it even more warmer as this reduces air circulation and increases heating.			
8	Features:			
	Material : Cotton			
	Color: Blue / Green (Please State your offer) We most prefer light blue colour.			
	Brand : Linteum Textile Supply			
	Special Feature : Durability			
	Product Dimensions: 90"L x 66"W			
	Theme : Plain			
	Style : Thermal			
	Blanket Form : Single Layered Blanket			
	Age Range : Adult			
	Pattern : Solid			
	Machine Washable			
	Breatheable Material			
	Hospital Grade Durability			
	- Designed to withstand frequent washing and heavy use.			
	Lightweight and Convenient			
	- Easy to handle for quick and efficient care.			
	Skin-friendly softness			
	-Gentle cotton for sensitive or healing skin.			
	Versatile hospital use			
	- Ideal for layering, covering or extra warmth.			
9	Delivery Period/Time : Not more than two months			
10	Country Origin : State Country of Origin.			
11	Quality Assurance:			
12	Delivery by Sea/Air Freight :			

Note :

- Order and demand will be cancelled, if the delivery product does not meet the specification given by Medical Services, Royal Brunei Land Force.
- There is no brand specification, provided our specified requirements are fulfilled. However, the Brand and Generic names of the product **MUST BE STATED**.
- Sample **MUST** be include or offering site-visit, this is for the quality evaluation.

