

KETERANGAN PEMBELIAN TEMPATAN - JKP KEMENTAH

RUJUKAN SEBUTHARGA : MINDEF/DFA/FY2026/NAU/DEN/LP/1007

TARIKH TUTUP SEBUTHARGA : 3 - 9 - 2026 (KHAMIS, 08:00 PAGI)

PETI PENERIMAAN SEBUTHARGA : BOX ( 01 )

ALAMAT BARU: BANGUNAN ARKIB, ARAS BAWAH, KEMENTERIAN PERTAHANAN,  
BOLKIAH GARISON

NAMA SYARIKAT : \_\_\_\_\_

CAP SYARIKAT DAN TANDATANGAN : \_\_\_\_\_

TEL PEMBEKAL : \_\_\_\_\_ FAX PEMBEKAL : \_\_\_\_\_

E-MAIL PEMBEKAL : \_\_\_\_\_

VENDOR ID PEMBEKAL : \_\_\_\_\_

| BIL                                                                                                                                                                                                                                                                                                                                                                                                            | KETERANGAN BARANG                                                                                                                                        | KTI     | HARGA SATU | HARGA SEMUA | TEMPOH SAH HARGA (MINIMUM 180 HARI) | TEMPOH PENGHANTARAN | BUATAN NEGERI | LAIN-LAIN HAL |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|---------|------------|-------------|-------------------------------------|---------------------|---------------|---------------|
| 1                                                                                                                                                                                                                                                                                                                                                                                                              | <b><u>PEMBELIAN PERALATAN DAN KELEGGAPAN PERGIGIAN (DENTAL EQUIPMENT)</u></b><br><br><b>PORTABLE DENTAL SINK</b><br>(Sila rujuk spesifikasi di sertakan) | 01 UNIT |            |             |                                     |                     |               |               |
| <b>PERHATIAN:</b><br>Perkara-perkara yang perlu (mandatori) di hadapkan sebelum tarikh tutup sebutharga :<br><input checked="" type="checkbox"/> Katalog & Spesifikasi Teknikal mesti di sertakan untuk penilaian.<br><input type="checkbox"/> Contoh<br>Jika di dapati gagal, sebutharga tersebut tidak akan di pertimbangkan.<br><b>PERINGATAN:</b><br>Tidak dibenarkan menggunakan katalog Jabatanarah ini. |                                                                                                                                                          |         |            |             |                                     |                     |               |               |

18/10/8  
JUMLAH SEMUA HARGA YANG DI TAWARKAN - ANGKA B\$ \_\_\_\_\_ DAN PERKATAAN: \_\_\_\_\_



| Ser                          | Technical Data & Dimensional |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | Offer    |                     |                  |            |                            |        |                              |                  |  |                |        |         |              |                    |                         |              |                           |  |         |                       |               |       |             |        |  |
|------------------------------|------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|---------------------|------------------|------------|----------------------------|--------|------------------------------|------------------|--|----------------|--------|---------|--------------|--------------------|-------------------------|--------------|---------------------------|--|---------|-----------------------|---------------|-------|-------------|--------|--|
|                              | Item                         | Specification                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |          |                     |                  |            |                            |        |                              |                  |  |                |        |         |              |                    |                         |              |                           |  |         |                       |               |       |             |        |  |
| (a)                          | (b)                          | (c)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | (d)      |                     |                  |            |                            |        |                              |                  |  |                |        |         |              |                    |                         |              |                           |  |         |                       |               |       |             |        |  |
| Essential                    |                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |          |                     |                  |            |                            |        |                              |                  |  |                |        |         |              |                    |                         |              |                           |  |         |                       |               |       |             |        |  |
| 1                            | General                      | A portable air conditioner (PAC) is a self-contained portable system ideal for cooling single rooms. It has its own compressor and gas similar to normal air condition. It may have wheels to move the item and it would have a single hose to push out hot air out of the tent/room.<br>*It would be less than 40kg to make it easily portable & transported.                                                                                                                                                                                                                                                                                                           |          |                     |                  |            |                            |        |                              |                  |  |                |        |         |              |                    |                         |              |                           |  |         |                       |               |       |             |        |  |
| 2                            | Technical data               | <table><tr><td>Capacity</td><td>2.0 Horsepower (HP)</td></tr><tr><td>Cooling Capacity</td><td>18000Btu h</td></tr><tr><td>Maximum allowable pressure</td><td>4.2Mpa</td></tr><tr><td>Excessive operating pressure</td><td>Discharge 4.2Mpa</td></tr><tr><td></td><td>Suction 2.1Mpa</td></tr><tr><td>Weight</td><td>33.3 kg</td></tr><tr><td>Power source</td><td>220-240VAC/1 /50Hz</td></tr><tr><td>Refrigerant charged vol</td><td>R410A/0.60kg</td></tr><tr><td>Standard rating condition</td><td></td></tr><tr><td>Cooling</td><td>Input=51135w , I=5.0A</td></tr><tr><td>Rated current</td><td>7.8 A</td></tr><tr><td>Rated Power</td><td>1700 W</td></tr></table> | Capacity | 2.0 Horsepower (HP) | Cooling Capacity | 18000Btu h | Maximum allowable pressure | 4.2Mpa | Excessive operating pressure | Discharge 4.2Mpa |  | Suction 2.1Mpa | Weight | 33.3 kg | Power source | 220-240VAC/1 /50Hz | Refrigerant charged vol | R410A/0.60kg | Standard rating condition |  | Cooling | Input=51135w , I=5.0A | Rated current | 7.8 A | Rated Power | 1700 W |  |
| Capacity                     | 2.0 Horsepower (HP)          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |          |                     |                  |            |                            |        |                              |                  |  |                |        |         |              |                    |                         |              |                           |  |         |                       |               |       |             |        |  |
| Cooling Capacity             | 18000Btu h                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |          |                     |                  |            |                            |        |                              |                  |  |                |        |         |              |                    |                         |              |                           |  |         |                       |               |       |             |        |  |
| Maximum allowable pressure   | 4.2Mpa                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |          |                     |                  |            |                            |        |                              |                  |  |                |        |         |              |                    |                         |              |                           |  |         |                       |               |       |             |        |  |
| Excessive operating pressure | Discharge 4.2Mpa             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |          |                     |                  |            |                            |        |                              |                  |  |                |        |         |              |                    |                         |              |                           |  |         |                       |               |       |             |        |  |
|                              | Suction 2.1Mpa               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |          |                     |                  |            |                            |        |                              |                  |  |                |        |         |              |                    |                         |              |                           |  |         |                       |               |       |             |        |  |
| Weight                       | 33.3 kg                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |          |                     |                  |            |                            |        |                              |                  |  |                |        |         |              |                    |                         |              |                           |  |         |                       |               |       |             |        |  |
| Power source                 | 220-240VAC/1 /50Hz           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |          |                     |                  |            |                            |        |                              |                  |  |                |        |         |              |                    |                         |              |                           |  |         |                       |               |       |             |        |  |
| Refrigerant charged vol      | R410A/0.60kg                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |          |                     |                  |            |                            |        |                              |                  |  |                |        |         |              |                    |                         |              |                           |  |         |                       |               |       |             |        |  |
| Standard rating condition    |                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |          |                     |                  |            |                            |        |                              |                  |  |                |        |         |              |                    |                         |              |                           |  |         |                       |               |       |             |        |  |
| Cooling                      | Input=51135w , I=5.0A        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |          |                     |                  |            |                            |        |                              |                  |  |                |        |         |              |                    |                         |              |                           |  |         |                       |               |       |             |        |  |
| Rated current                | 7.8 A                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |          |                     |                  |            |                            |        |                              |                  |  |                |        |         |              |                    |                         |              |                           |  |         |                       |               |       |             |        |  |
| Rated Power                  | 1700 W                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |          |                     |                  |            |                            |        |                              |                  |  |                |        |         |              |                    |                         |              |                           |  |         |                       |               |       |             |        |  |
| 3                            | Features                     | 3-in-1 Function, Cooling, Dehumidifying, and Fan Modes<br>High-Efficiency Compressor<br>Auto-Evaporation System (No Drainage Needed)<br>360-Degree Mobility on Wheels<br>Touch-Sensitive Control-Panel<br>Swing Mode for Optimal Airflow<br>Removable and Washable Filter<br>Includes Window Frame and Air Pipe for Easy Installation and Disassembly                                                                                                                                                                                                                                                                                                                    |          |                     |                  |            |                            |        |                              |                  |  |                |        |         |              |                    |                         |              |                           |  |         |                       |               |       |             |        |  |
|                              | Required                     | Request for 3 pin UK Type plug                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |          |                     |                  |            |                            |        |                              |                  |  |                |        |         |              |                    |                         |              |                           |  |         |                       |               |       |             |        |  |
| Installation and Support     |                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |          |                     |                  |            |                            |        |                              |                  |  |                |        |         |              |                    |                         |              |                           |  |         |                       |               |       |             |        |  |



|                  |                                                                        |                                                                                                                                                |  |
|------------------|------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------|--|
| 5                | <b>Warranty</b>                                                        | It is essential that the manufacturer provided a minimum of 1 year warranty support (parts and labor) from the date of acceptance into service |  |
| <b>Desirable</b> |                                                                        |                                                                                                                                                |  |
| 6                | <b>Preferred Model/ Brand &amp; country Origin of the manufacturer</b> | Aifa PA-T19-410 2.0 HP Portable Aircon or Equivalent                                                                                           |  |



\*Important Notice

This specification annex form must complete and attached with the quotation tenders provided.

Company / Supplier Chop & Signature

.....