

KETERANGAN PEMBELIAN TEMPATAN - JKP KEMENTAH

RUJUKAN SEBUTHARGA : **MINDEF/DFA/FY2026/NAU/AF/LP/1027**

TARIKH TUTUP SEBUTHARGA : **20 - 8 - 2026 (KHAMIS, 08:00 PAGI)**

PETI PENERIMAAN SEBUTHARGA : **BOX (3)**

ALAMAT BARU: **BANGUNAN ARKIB, ARAS BAWAH,
KEMENTERIAN PERTAHANAN, BOLKIAH GARISON**

NAMA SYARIKAT : _____

CAP SYARIKAT DAN TANDATANGAN : _____

TEL PEMBEKAL : _____ FAX PEMBEKAL : _____

E-MAIL PEMBEKAL : _____

VENDOR ID PEMBEKAL : _____

BIL	KETERANGAN BARANG	KTI	HARGA SATU (BND)	HARGA SEMUA (BND)	TEMPOH SAH HARGA (MINIMUM 180 HARI)	TEMPOH PENGHANTARAN	BUATAN NEGERI	LAIN-LAIN HAL
1	PEMBELIAN PERALATAN GENERAL WORKSHOP AEU TEMD, TUDB							
	PORTABLE METAL INERT GAS MACHINE	01 UNIT						
2	PLASMA WELDING MACHINE	01 UNIT						
3	HAND HELD PLASMA WELDING MACHINE	01 UNIT						
	(Sila rujuk Spesifikasi yang di sertakan)							
PERHATIAN: Perkara-perkara yang perlu (mandatori) di hadapkan sebelum tarikh tutup sebutharga : ☒ Katalog & Spesifikasi Teknikal mesti di sertakan untuk penilaian. ☐ Contoh Jika di dapati gagal, sebutharga tersebut tidak akan di pertimbangkan. PERINGATAN: Tidak dibenarkan menggunakan katalog Jabatanarah ini.								

JUMLAH SEMUA HARGA YANG DI TAWARKAN - ANGKA B\$ _____ DAN PERKATAAN: _____

1	Portable Metal Inert Gas Welding Machine	EASYMIG 140	01	Technical Details Manufacturer GYS Part Number 032262 Product Dimensions 35 x 16 x 38 cm; 11.29 kg Item model number 032262 Power Source Electrical (wired) Voltage 230 Volts Item Package Quantity 1 Number of Pieces 1 Measurement System Metric Included Components • MIG/MAG welding inverter EASYMIG 140 • MIG burner for steel, 150 A, 2.2 m • Ground clamp with cable, 1.6 m, 16 mm² • Electrode holder with cable, 1.6 m, 10 mm² Batteries included? No Batteries Required? No Item Weight 11.3 kg Require the training on the new equipment introduction, maintenance, set up, use and troubleshoot.	
2	Plasma Welding Machine	CUTTER 70 CT	01	The GYS CUTTER 70 CT is a 70 A plasma cutter that can efficiently cut through materials up to 35 mm thick. SPECIFICATION Supply 400V Amps. 32A Dimensions. 69x 40 x 61 PIERCING Fe 20 mm Al/CrNi. 18 mm CLEAN CUT Fe 35 mm Al/CrNi. 30 mm Require the training on the new equipment introduction, maintenance, set up, use and troubleshoot.	

MINDEF/DFA/FY2026/NAU/AF/LP/1027



3	Hand Held Plasma Welding Machine	EASY CUT K35 PFC	Specifications Output: 35A plasma cutting power Maximum Cutting Thickness: 15mm Input Voltage: 195 V to 265 V (single-phase) Mains Frequency: 50 / 60 Hz Fuse: 16 A Maximum Effective Supply Current: 11 A Weight: 18.5 kg Dimensions: 45 x 26 x 36 cm Features Integrated Air Compressor: Allows for use anywhere there is a single-phase power supply. PFC (Power Factor Correction): Enables stable operation with a wide voltage range and long extension cords (up to 100m). Automatic Air Filter: Includes an automatic purge to prevent condensation from forming. Require the training on the new equipment introduction, maintenance, set up, use and troubleshoot.	
---	----------------------------------	------------------	---	---

