

KETERANGAN PEMBELIAN TEMPATAN - JKP KEMANTAN

RUJUKAN SEBUTHARGA : **MINDEF/DFA/FY2026/ITAU/DEN/LP/002**

TARIKH TUTUP SEBUTHARGA : **01 / 10 / 2026 (KHAMIS, 08:00 PAGI)**

PETI PENERIMAAN SEBUTHARGA : **BOX (01)**

ALAMAT BARU: : **ARAS BAWAH, BANGUNAN ARKIB
KEMENTERIAN PERTAHANAN, BOLKIAH GARISSON**

NAMA SYARIKAT : _____

COP SYARIKAT & TANDANTANGAN : _____

TEL PEMBEKAL : _____ FAX PEMBEKAL : _____

EMAIL PEMBEKAL : _____

TAFIS VENDOR ID : _____

BIL	KETERANGAN BARANG	KTI	HARGA SATU	HARGA SEMUA	TEMPOH SAH HARGA (MINIMUM 180 HARI)	TEMPOH PENGHANTARAN	BUATAN NEGERI	LAIN-LAIN HAL (WARRANTY)
1	<u>PEMBELIAN PORTABLE AIR CONDITIONER</u> PORTABLE AIR CONDITIONER 02 EA <u>Nota:</u> 1) Sila rujuk spesifikasi & gambar yang di sertakan <u>PERHATIAN:</u> Perkara-perkara yang perlu (mandatori) dihadapkan sebelum tarikh tutup sebutharga: ☒ Katalog (Spesifikasi penuh) ☐ Contoh (Sila hadapkan ke Kaunter Utama, Bhg Perolehan, Tingkat Bawah, Block D, DFA) * Katalog yang dihadapkan hendaklah menggunakan katalog bagi item yang ditawarkan dan bukan menggunakan katalog yang disertakan Jabatan ini. Jika didapati gagal, sebutharga tersebut tidak akan diperlimbangkan.							

JUMLAH SEMUA HARGA YANG DITAWARKAN - ANGKA B\$ _____ DAN PERKATAAN : _____

6
23/9

Portable Equipment for Dental Deployment	
Demand Reference	DSE/07/26/07
Description	Portable Air conditioner
Quantity Required	2 units

Ser	Technical Data & Dimensional		Offer																								
	Item	Specification																									
(a)	(b)	(c)	(d)																								
Essential																											
1	General	A portable air conditioner (PAC) is a self-contained portable system ideal for cooling single rooms. It has its own compressor and gas similar to normal air condition. It may have wheels to move the item and it would have a single hose to push out hot air out of the tent/room. *It would be less than 40kg to make it easily portable & transported.																									
2	Technical data	<table><tr><td>Capacity</td><td>2.0 Horsepower (HP)</td></tr><tr><td>Cooling Capacity</td><td>18000Btu h</td></tr><tr><td>Maximum allowable pressure</td><td>4.2Mpa</td></tr><tr><td>Excessive operating pressure</td><td>Discharge 4.2Mpa</td></tr><tr><td></td><td>Suction 2.1Mpa</td></tr><tr><td>Weight</td><td>33.3 kg</td></tr><tr><td>Power source</td><td>220-240VAC/1 /50Hz</td></tr><tr><td>Refrigerant charged vol</td><td>R410A/0.60kg</td></tr><tr><td>Standard rating condition</td><td></td></tr><tr><td>Cooling</td><td>Input=51135w , I=5.0A</td></tr><tr><td>Rated current</td><td>7.8 A</td></tr><tr><td>Rated Power</td><td>1700 W</td></tr></table>	Capacity	2.0 Horsepower (HP)	Cooling Capacity	18000Btu h	Maximum allowable pressure	4.2Mpa	Excessive operating pressure	Discharge 4.2Mpa		Suction 2.1Mpa	Weight	33.3 kg	Power source	220-240VAC/1 /50Hz	Refrigerant charged vol	R410A/0.60kg	Standard rating condition		Cooling	Input=51135w , I=5.0A	Rated current	7.8 A	Rated Power	1700 W	
Capacity	2.0 Horsepower (HP)																										
Cooling Capacity	18000Btu h																										
Maximum allowable pressure	4.2Mpa																										
Excessive operating pressure	Discharge 4.2Mpa																										
	Suction 2.1Mpa																										
Weight	33.3 kg																										
Power source	220-240VAC/1 /50Hz																										
Refrigerant charged vol	R410A/0.60kg																										
Standard rating condition																											
Cooling	Input=51135w , I=5.0A																										
Rated current	7.8 A																										
Rated Power	1700 W																										
3	Features	3-in-1 Function, Cooling, Dehumidifying, and Fan Modes High-Efficiency Compressor Auto-Evaporation System (No Drainage Needed) 360-Degree Mobility on Wheels Touch-Sensitive Control Panel Swing Mode for Optimal Airflow Removable and Washable Filter Includes Window Frame and Air Pipe for Easy Installation and Disassembly																									
	Required	Request for 3 pin UK Type plug																									
Installation and Support																											



5	Warranty	It is essential that the manufacturer provided a minimum of 1 year warranty support (parts and labor) from the date of acceptance into service	
Desirable			
6	Preferred Model/ Brand & country Origin of the manufacturer	Aifa PA-T19-410 2.0 HP Portable Aircon or Equivalent	



*Important Notice

This specification annex form must complete and attached with the quotation tenders provided.

Company / Supplier Chop & Signature

.....

Dental Services RBAF Demand Catalogue Reference

Appendix 8-1



Portable Equipment for Dental Deployment	
Dental Services RBAF Demand Reference	DSE/07/26/07
Descriptions	Portable Aircon
Quantity Required	2 Units
Preferred Model/Brand & Country Origin of the Manufacturer	Aifa PA-T19-410 2.0 HP Portable Aircon or Equivalent
Submitting Catalogue/Brochures	The Supplier must submit the Catalogue/brochures completely for the offered item.