

KETERANGAN PEMBELIAN TEMPATAN - JKP KEMENTAH

RUJUKAN SEBUTHARGA : MINDEF/DFA/FY2026/ITAU/MAB/LP/011

TARIKH TUTUP SEBUTHARGA : 1 / 10 / 2026 (KHAMIS, 08:00 PAGI)

PETI PENERIMAAN SEBUTHARGA : BOX (01)

ALAMAT BARU: : ARAS BAWAH, BANGUNAN ARKIB
KEMENTERIAN PERTAHANAN, BOLKIAH GARISSON

NAMA SYARIKAT : _____

COP SYARIKAT & TANDATANGAN : _____

TEL PEMBEKAL : _____ FAX PEMBEKAL : _____

EMAIL PEMBEKAL : _____

TAFIS VENDOR ID : _____

BIL	KETERANGAN BARANG	KTI	HARGA SATU	HARGA SEMUA	TEMPOH SAH HARGA (MINIMUM 180 HARI)	TEMPOH PENGHANTARAN	BUATAN NEGERI	LAIN-LAIN HAL (WARRANTY)
	<u>PEMBELIAN PORTABLE PA SYSTEM KEGUNAAN MARKAS ANGKATAN BERSAMA</u>							
1	PORTABLE PA SYSTEM	01 SET						
2	WIRELESS MICROPHONE	01 SET						
<u>Nota:</u> 1) Sila rujuk spesifikasi & gambar yang di sertakan (Ceraian 'A') <u>PERHATIAN:</u> Perkara-perkara yang perlu (mandatori) dihadapkan sebelum tarikh tutup sebutharga: ☐ / Katalog (Spesifikasi penuh) ☐ Contoh (Sila hadapkan ke Kaunter Utama, Bhg Perolehan, Tingkat Bawah, Block D, DFA) * Katalog yang dihadapkan hendaklah menggunakan katalog bagi item yang ditawarkan dan bukan menggunakan katalog yang disertakan Jabatan ini. Jika didapati gagal, sebutharga tersebut tidak akan dipertimbangkan.								

3/7 ⁶ JUMLAH SEMUA HARGA YANG DITAWARKAN - ANGKA B\$ _____ DAN PERKATAAN : _____

SPESIFIKASI DAN JUMLAH DIPERLUKAN

BIL	DESKRIPSI	QTY	ANGGARAN
1	<u>(PORTABLE PA SYSTEM</u> Transducers: 2 x 6.5 inch (165mm) woofers, 2 x 1 inch (25mm) Dome tweeters Output power: 240W RMS (IEC60268) Power input: 100 - 240V~50/60 Hz Frequency response: 40Hz - 20kHz (-6dB) Signal-to-noise ratio: > 80dB Battery type: Li-ion 68Wh (equivalent to 7.2V/ 9444mAh) Battery charge time: 3 hours (Speaker off mode) Music play time: up to 18 hours (varies by volume level and audio content) Cable type: AC power cable (type varies by regions) Cable length: 2.0m / 6.6 ft USB charge out: 5V / 2.1 A (Max) (Speaker off mode) USB format: FAT16, FAT32 BluetoothR version: 5.4 BluetoothR profile: A2DP V1.4, AVRCP V1.6 BluetoothR transmitter frequency range: 2.4 GHz - 2.4835 GHz BluetoothR transmitter power: ≤ 18 dBm (EIRP) BluetoothR transmitter modulation: GFSK, π/4 DQPSK, 8DPSK Supported formats: .MP3, .WAV, .WMA, .FLAC Input Sensitivity: Aux-In: 250 mV RMS (3.5mm connector) Mic-In: 20 mV RMS x2 Guitar-In: 100 mV RMS Bluetooth/USB input: -12dBFS <u>Product dimensions (W x H x D):</u> 335 mm x 669 mm x 385 mm / 13.19" x 26.34" x 15.16" Net weight: 16.5 kg Packaging dimensions (W x H x D): 384 mm x 728 mm x 437 mm / 15.1" x 28.7" x 17.2" Gross weight: 18.9 kg	01	\$2000



General Specifications

Encryption
AES - 128

WIRELESS MICROPHONE SPEC

Carrier Frequency	2404 - 2478MHz
Working Range	30m (100ft)
Latency	< 12ms
Frequency / Channel selection	Adaptive channel selection
Frequency Response	50Hz - 15KHz
Dynamic Range	100dBA @ 1KHz
Signal -to -Noise	59dBA
THD	< 1% @ 94dB SPL, 200 - 10KHz
Transmitting power	< 10dBm
Receiver maximum output level	< 1V RMS
Dimensions	
Microphone Head	16mm ECM
Microphone Dimensions (W x H x D)	45.5 x 224.5 x 42.5mm / 1.79" x 8.84" x 1.67"
Microphone Weight	270 g / 0.6 lb
Dongle Dimension (W x H x D)	42 x 96.5 x 18mm / 1.65" x 3.8" x 0.71"
Dongle Weight	43 g / 0.095 lb
Gift Box Dimension (W x H x D)	131 x 72 x 236mm / 5.16" x 2.83" x 9.29"
Gift Box Weight	854 g / 1.88 lb
Battery	
Microphone Rechargeable Battery	600mAh, 3.7V Li-ion battery
Dongle Battery	700mAh 3.7V Li-ion battery
Playtime of Microphone	up to 20 hours
Playtime of Dongle	up to 12 hours
Microphone battery charge time	< 2.5H in off mode
Dongle battery charge time	< 2.5H in off mode

