

KETERANGAN PEMBELIAN TEMPATAN - JKP KEMENTAH

RUJUKAN SEBUTHARGA : MINDEF/DFA/FY2026/NAU/DEN/LP/1012

TARIKH TUTUP SEBUTHARGA : 15 - 10 - 2026 (KHAMIS, 08:00 PAGI)

PETI PENERIMAAN SEBUTHARGA : BOX (3)

ALAMAT BARU: BANGUNAN ARKIB, ARAS BAWAH, KEMENTERIAN PERTAHANAN,
BOLKIAH GARISON

NAMA SYARIKAT : _____

CAP SYARIKAT DAN TANDATANAN : _____

TEL PEMBEKAL : _____ FAX PEMBEKAL : _____

E-MAIL PEMBEKAL : _____

VENDOR ID PEMBEKAL : _____

BIL	KETERANGAN BARANG	KTI	HARGA SATU	HARGA SEMUA	TEMPOH SAH HARGA (MINIMUM 180 HARI)	TEMPOH PENGHANTARAN	BUATAN NEGERI	LAIN-LAIN HAL
	<u>PEMBELIAN PERALATAN DAN KELEGGAPAN PERGIGIAN (DENTAL EQUIPMENT)</u>							
1	AUTOMATIC PORTABLE DENTAL CHAIR (Sila rujuk spesifikasi di sertakan)	01 UNIT						
2	PORTABLE AIR COMPRESSOR (Sila rujuk spesifikasi di sertakan)	01 UNIT						
3	LIGHTWEIGHT PORTABLE DENTAL UNIT WITH SCALER AND PORTABLE SUPPLY CART (Sila rujuk spesifikasi di sertakan)	01 UNIT						
PERHATIAN: Perkara-perkara yang perlu (mandatori) di hadapkan sebelum tarikh tutup sebutharga : ☒ Katalog & Spesifikasi Teknikal mesti di sertakan untuk penilaian. ☐ Contoh Jika di dapati gagal, sebutharga tersebut tidak akan di pertimbangkan. PERINGATAN: Tidak dibenarkan menggunakan katalog Jabatanarah ini.								

4/8 2/10 .
JUMLAH SEMUA HARGA YANG DI TAWARKAN - ANGKA B\$ _____ DAN PERKATAAN: _____

Dental Portable Equipment	
Demand Reference	DSE/06/26/11
Description	Automatic Portable Dental Chair
Quantity Required	1 unit

Ser	Technical Data & Dimensional		Offer
	Item	Specification	
(a)	(b)	(c)	(d)
Essential			
1	General	Automatic Portable Dental Chair is to provide a comfortable and adjustable treatment platform for patients during dental deployment in locations where a conventional dental clinic setup is not available.	
2	Technical data	Type Automatic Portable Dental Chair Power Supply 220–240 V AC, 50Hz Patients Weight Capacity Minimum 150 Kg Upholstery Medical Grade, seamless, Waterproof, easy to clean material Height Adjustment Electrically adjustable Operation Electrically powered motorized system Mobility Equipped with lockable caster wheels	
3	Features	Advantages Rapid deployment and setup Reduced transportation requirements compared to conventional dental chair Enhanced patient comfort through motorized positioning Improved ergonomics for dental operators Suitable for remote and resource-limited environments Safety Features Emergency stop function Anti-slip feet Overload protection	
4	Accessories	Adjustable headrest Hand- held control unit Power adapter and cables Lockable wheels/casters Carrying case or transport cover User manual and maintenance guide	
Installation and Support			
5	Approved Agent Status	It is essential that the contractor/ Supplier submit a letter from the manufacturer stating that they: - Manufacturers authorized the supplier of the equipment - Are authorized by the manufacturer to install; test and commission their equipment	
6	Warranty	It is essential that the manufacturer provided a minimum of 1 year warranty support (parts and labor) from the date of acceptance into service	
Desirable			



7	Preferred Model/ Brand & country Origin of the manufacturer	Stuhl Automatic Portable Dental Chair or Equivalent	
---	---	---	--


*Important Notice

This specification annex form must complete and attached with the quotation tenders provided.



Company / Supplier Chop & Signature

.....



Dental Equipment	
Dental Services RBAF Demand Reference	DSE/06/26/11
Descriptions	Automatic Portable Dental Chair
Quantity Required	1 Unit
Preferred Model/Brand & Country Origin of the Manufacturer	Preferred Brand: Stuhl or Equivalent
Submitting Catalogue/Brochures	The Supplier must submit the Catalogue/brochures completely for the offered item.



Dental Portable Equipment	
Demand Reference	DSE/06/26/13
Description	Portable Air Compressor
Quantity Required	1 unit

Ser	Technical Data & Dimensional		Offer
	Item	Specification	
(a)	(b)	(c)	(d)
Essential			
1	General	Portable Compressor used to supply compressed air so the dental equipment can function properly outside of a fixed dental clinic setting. This portable unit is for the deployment of dental services.	
2	Technical data	Weight: 46 lbs. (20.87 kg) Size: 17.93" W x 22.06" L x 10.43" H 1.0 horsepower, 100 psi oil-less motor Air delivery 3.1 CFM at 40 PSI Rated Voltage: 200 – 240 V, 50 – 60 Hz	
3	Features	Reliable 1.0 horsepower, 100 psi air compressor that delivers 3.1 CFM at 40 PSI. Stand up to heavy duty use and travel. Secured in its own super-duty carrying case with built in wheels and a pull handle. Includes an air storage tank and automatic pressure switch control.	
4	Accessories	AC Power Cord Air Filter Spare Fuse	
Installation and Support			
5	Approved Agent Status	It is essential that the contractor/ Supplier submit a letter from the manufacturer stating that they: - Manufacturers authorized the supplier of the equipment - Are authorized by the manufacturer to install; test and commission their equipment	
6	Warranty	It is essential that the manufacturer provided a minimum of 1 year warranty support (parts and labor) from the date of acceptance into service	
Desirable			
7	Preferred Model/ Brand & country Origin of the manufacturer	AirPac III Portable Air Compressor or Equivalent	

***Important Notice**

This specification annex form must complete and attached with the quotation tenders provided.

Company / Supplier Chop & Signature

.....





Dental Portable Equipment	
Dental Services RBAF Demand Reference	DSE/06/26/13
Descriptions	Portable Air Compressor
Quantity Required	1 Unit
Preferred Model/Brand & Country Origin of the Manufacturer	Preferred Brand: AirPac III Portable Air Compressor or Equivalent
Submitting Catalogue/Brochures	The Supplier must submit the Catalogue/brochures completely for the offered item.



Dental Portable Equipment	
Demand Reference	DSE/06/26/14
Description	Lightweight Portable Dental Unit with Scaler and Portable Supply Cart
Quantity Required	1 unit

Ser	Technical Data & Dimensional		Offer																																				
	Item	Specification																																					
(a)	(b)	(c)	(d)																																				
Essential																																							
1	General	Lightweight Portable Dental Unit is a compact, mobile dental workstation designed to provide basic dental treatment in locations where a conventional dental clinic is unavailable such as military and field deployments.																																					
2	Technical data	Model AEU-350S version includes a built-in piezoelectric ultrasonic scaler with LED illumination. <table><tr><td>Scaler Type</td><td>Piezoelectric ultrasonic scaler</td></tr><tr><td>Power Output</td><td>Up to 10 W</td></tr><tr><td>Weight</td><td>Approximately 32-34 lbs (15-15.5 kg)</td></tr><tr><td>Dimensions</td><td>13.6" W x 9.3" D x 21.6" H</td></tr><tr><td>Power Supply</td><td>220-240V AC, 50/60 Hz</td></tr><tr><td>Battery Option</td><td>External 24V DC battery operation</td></tr><tr><td>Motor Type</td><td>Brushless electric motor</td></tr><tr><td>Motor Speed (1:1)</td><td>Up to 40,000 RPM</td></tr><tr><td>Motor Speed (1:5)</td><td>Up to 200,000 RPM</td></tr><tr><td>Display</td><td>Touchscreen display</td></tr><tr><td>Water Bottle Capacity</td><td>500 mL</td></tr><tr><td>Waste Tank</td><td>750 mL</td></tr><tr><td>Air Pressure</td><td>80 PSI maximum</td></tr><tr><td>Noise Level</td><td>Approximately 72 dBA at 1 meter\</td></tr><tr><td>Suction System</td><td>Simultaneous HVE and saliva ejector</td></tr></table> Portable Supply Cart ATC-350ZT offers smooth all-terrain mobility, organized storage with six pouches, and built in water bottle holders. <table><tr><td>Cart size</td><td>24.5" H x 22" W x 14.5" D (Including wheels)</td></tr><tr><td>Extends</td><td>Up to 51" H with fully extended handle</td></tr><tr><td>Weight</td><td>16.5 pounds</td></tr></table>	Scaler Type	Piezoelectric ultrasonic scaler	Power Output	Up to 10 W	Weight	Approximately 32-34 lbs (15-15.5 kg)	Dimensions	13.6" W x 9.3" D x 21.6" H	Power Supply	220-240V AC, 50/60 Hz	Battery Option	External 24V DC battery operation	Motor Type	Brushless electric motor	Motor Speed (1:1)	Up to 40,000 RPM	Motor Speed (1:5)	Up to 200,000 RPM	Display	Touchscreen display	Water Bottle Capacity	500 mL	Waste Tank	750 mL	Air Pressure	80 PSI maximum	Noise Level	Approximately 72 dBA at 1 meter\	Suction System	Simultaneous HVE and saliva ejector	Cart size	24.5" H x 22" W x 14.5" D (Including wheels)	Extends	Up to 51" H with fully extended handle	Weight	16.5 pounds	
Scaler Type	Piezoelectric ultrasonic scaler																																						
Power Output	Up to 10 W																																						
Weight	Approximately 32-34 lbs (15-15.5 kg)																																						
Dimensions	13.6" W x 9.3" D x 21.6" H																																						
Power Supply	220-240V AC, 50/60 Hz																																						
Battery Option	External 24V DC battery operation																																						
Motor Type	Brushless electric motor																																						
Motor Speed (1:1)	Up to 40,000 RPM																																						
Motor Speed (1:5)	Up to 200,000 RPM																																						
Display	Touchscreen display																																						
Water Bottle Capacity	500 mL																																						
Waste Tank	750 mL																																						
Air Pressure	80 PSI maximum																																						
Noise Level	Approximately 72 dBA at 1 meter\																																						
Suction System	Simultaneous HVE and saliva ejector																																						
Cart size	24.5" H x 22" W x 14.5" D (Including wheels)																																						
Extends	Up to 51" H with fully extended handle																																						
Weight	16.5 pounds																																						
3	Features	Simple to operate for restorative & hygiene Integrated brushless motor with LED illumination Powerful vacuum and air flow Exceptionally quiet operation Ultra-compact and lightweight Meet carry-on luggage requirements Air filter reduces airborne particulates Use anywhere in the world with electric or battery power Powerful brushless motor with fiber optics for use with 1:5 highspeed (200,000 RPM max) and non-fiber optic 1:1 slow speed (40,000 rpm max) handpieces. Large, easy-to-read touch screen display Complies with international carry-on luggage size restrictions Compact operation mode provides quick setup; operation ready																																					



		within 5 minutes. Expanded operation mode provides easy access to instruments from a standing position.	
4	Accessories	AEU-350S Unit Micro-motor Syringe (Permanently attached to unit) Footswitch Syringe Tip (High-Volume Ejector) HVE Valve and Hose Assembly Power Cord (3 pin UK Type) Hose Storage Pouch Saliva Ejector (Low-Volume) Valve and Hose Assembly Waste Collection Tank Water Supply Bottle Air Filter 4-instrument Holder 4-Instrument Holder Pouch Piezoelectric ultrasonic scaler Go Cart Blue (AA-350ZT-Cart) Clip-On Tray (AA-350-Tray)	
Installation and Support			
5	Approved Agent Status	It is essential that the contractor/ Supplier submit a letter from the manufacturer stating that they: • Manufacturers authorized the supplier of the equipment • Are authorized by the manufacturer to install; test and commission their equipment	
6	Warranty	It is essential that the manufacturer provided a minimum of 1 year warranty support (parts and labor) from the date of acceptance into service	
Desirable			
7	Preferred Model/ Brand & country Origin of the manufacturer	Asceptico Go Ultra-Portable Dental Delivery System AEU-350S or Equivalent	




***Important Notice**

This specification annex form must complete and attached with the quotation tenders provided.

Company / Supplier Chop & Signature

.....



Dental Portable Equipment	
Dental Services RBAF Demand Reference	DSE/06/26/14
Descriptions	Lightweight Portable Dental Unit with Scaler and Portable Supply Cart
Quantity Required	1 Unit
Preferred Model/Brand & Country Origin of the Manufacturer	Preferred Brand: Asceptico Go Ultra-Portable Dental Delivery System AEU-350S or Equivalent
Submitting Catalogue/Brochures	The Supplier must submit the Catalogue/brochures completely for the offered item.

